

## Fish consumption advisory

The advisory tables provide fish consumption advice based on the level of contaminants found in fish according to their location, species and length.

### Night Hawk Lake

**Cody Twp., Cochrane Dist.** (48°27'25"N 80°58'49"W)

Consumption advisories in the tables below represent the maximum number of meals per month recommended for each species/size range indicated.

Consult the help page if you are eating multiple species of fish or fish from multiple locations.

Advisories may be provided for specific species and/or size ranges which are not legal to possess. Learn more about Ontario's [recreational fishing regulations](#) before going fishing.

[Help understanding the fish consumption advisories](#)

#### Cisco (Lake Herring)

Length (cm) →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
Length (in) →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>					32	32							
<b>Sensitive population*</b>					32	32							

[More information about the Cisco \(Lake Herring\)](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

#### Goldeye<sup>1, 11</sup>

Length (cm) →	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
Length (in) →	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>			12	12	8	8							

**Sensitive population\*** 4 4 4 4

[More information about the Goldeye](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Mooneye<sup>7</sup>

**Length (cm) →** 15-20 20-25 25-30 30-35 35-40 40-45 45-50 50-55 55-60 60-65 65-70 70-75 >75

**Length (in) →** 6-8 8-10 10-12 12-14 14-16 16-18 18-20 20-22 22-24 24-26 26-28 28-30 >30

**General population**

2 2 2 2 2 2

**Sensitive population\***

0 0 0 0 0 0

[More information about the Mooneye](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Northern Pike<sup>1</sup>

**Length (cm) →** 15-20 20-25 25-30 30-35 35-40 40-45 45-50 50-55 55-60 60-65 65-70 70-75 >75

**Length (in) →** 6-8 8-10 10-12 12-14 14-16 16-18 18-20 20-22 22-24 24-26 26-28 28-30 >30

**General population**

16 16 16 16 16 8 8 4 4 4 2

**Sensitive population\***

8 8 8 8 4 4 0 0 0 0 0

[More information about the Northern Pike](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Sauger<sup>1</sup>

**Length (cm) →** 15-20 20-25 25-30 30-35 35-40 40-45 45-50 50-55 55-60 60-65 65-70 70-75 >75

<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		16	12	8	0								
<b>Sensitive population*</b>		8	4	0	0								

[More information about the Sauger](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## Walleye<sup>1</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		32	16	16	12	8	4	4	4	2	2	2	
<b>Sensitive population*</b>		16	8	8	4	0	0	0	0	0	0	0	

[More information about the Walleye](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

## White Sucker<sup>7</sup>

<b>Length (cm) →</b>	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	>75
<b>Length (in) →</b>	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	>30
<b>General population</b>		8	8	8	8	8	8	8					
<b>Sensitive population*</b>		8	8	8	8	8	8	8					

[More information about the White Sucker](#)

\*Sensitive Population: Women of child-bearing age and children under 15.

Superscripts: the number identifies the contaminant or group of contaminants which are causing consumption restrictions.

